

# URJETA ELECTRICALS

## POLYCARB

IDEAS. CONNECTED.

### PRICE LIST

### ARMoured CABLES

w.e.f. : 26.02.2025

'Polycab' make power and control cable Alluminium / Copper conductor XLPE/PVC Insulated, PVC tapped inner sheath / round wire / flat strips armoured / overall PVC outer sheath 1.1 kv as per IS : 1554 (part I) and 7098 (part I)

#### ALUMINIUM ARMoured CABLES

HSN : Code 85446090

| Size Sq.MM | 1 CORE | 2 Core | 3 core | 3.5 Core | 4 Core |
|------------|--------|--------|--------|----------|--------|
| 2.5        | -      | 184    | 205    | -        | 228    |
| 4          | -      | 209    | 224    | -        | 261    |
| 6          | -      | 253    | 276    | -        | 330    |
| 10         | -      | 320    | 357    | -        | 454    |
| 16         | 206    | 364    | 384    | -        | 485    |
| 25         | 271    | 389    | 511    | 593      | 635    |
| 35         | 328    | 485    | 649    | 721      | 822    |
| 50         | 404    | 628    | 844    | 977      | 1098   |
| 70         | 517    | 840    | 1158   | 1316     | 1492   |
| 95         | 620    | 1038   | 1426   | 1643     | 1861   |
| 120        | 719    | 1239   | 1788   | 2058     | 2337   |
| 150        | 857    | 1524   | 2196   | 2439     | 2873   |
| 185        | 1053   | 1832   | 2718   | 3088     | 3534   |
| 240        | 1301   | 2429   | 3471   | 3878     | 4563   |
| 300        | 1601   | 2977   | 4289   | 4771     | 5625   |
| 400        | 2022   | 3865   | 5483   | 6095     | 7021   |
| 500        | 2519   | 5219   | 7351   | 8615     | 9707   |
| 630        | 3109   | 6420   | 9344   | 10557    | 12742  |
| 800        | 3821   | -      | -      | -        | -      |
| 1000       | 4699   | -      | -      | -        | -      |

#### COPPER ARMD. CABLES

| Core | 1.5 Sq. mm | 2.5 sq. mm |
|------|------------|------------|
| 2    | 218        | 309        |
| 3    | 278        | 398        |
| 4    | 343        | 514        |
| 5    | 417        | 631        |
| 6    | 496        | 743        |
| 7    | 547        | 838        |
| 8    | 699        | 1023       |
| 10   | 795        | 1177       |
| 12   | 884        | 1368       |
| 14   | 1012       | 1590       |
| 16   | 1131       | 1807       |
| 19   | 1342       | 2128       |
| 24   | 1679       | 2663       |
| 27   | 1867       | 2987       |
| 30   | 2082       | 3592       |
| 37   | 2701       | 4196       |
| 44   | 3155       | 4900       |
| 61   | 4644       | 7105       |

#### COPPER ARMD. POWER CABLES

HSN : Code 85446090

| Sq. mm | 1 CORE | 2 Core | 3 core | 3.5 Core | 4 Core | 5 Core                                                                                        | 6 Core | 7 Core |
|--------|--------|--------|--------|----------|--------|-----------------------------------------------------------------------------------------------|--------|--------|
| 4      | -      | 419    | 561    | -        | 719    | 1054                                                                                          | 1327   | 1463   |
| 6      | -      | 590    | 809    | -        | 1058   | 1532                                                                                          | 1873   | 2148   |
| 10     | -      | 937    | 1316   | -        | 1680   | 2330                                                                                          | -      | -      |
| 16     | 800    | 1390   | 1926   | -        | 2485   | 3343                                                                                          | -      | -      |
| 25     | 1183   | 2283   | 3116   | 3735     | 4108   | 5960                                                                                          | -      | -      |
| 35     | 1607   | 3128   | 4389   | 5013     | 5828   | 8070                                                                                          | -      | -      |
| 50     | 2172   | 4086   | 5933   | 6983     | 7907   | 11050                                                                                         | -      | -      |
| 70     | 3051   | 6069   | 8663   | 10028    | 11414  | • This cancels all our Previous Price List.<br>• Prices are Subject to change without Notice. |        |        |
| 95     | 4055   | -      | 12012  | 13755    | 15855  |                                                                                               |        |        |
| 120    | 5102   | -      | 14729  | 18090    | 19755  | <b>Discount structure :</b><br>1) Aluminium Cable _____ %<br>2) Copper Armoured Cable _____ % |        |        |
| 150    | 6347   | -      | 18732  | 21884    | 25094  |                                                                                               |        |        |
| 185    | 7804   | -      | 23810  | 27859    | 31805  | <b>PLUS GST 18% EXTRA</b>                                                                     |        |        |
| 240    | 10026  | -      | 30929  | 35959    | 41029  |                                                                                               |        |        |
| 300    | 12500  | -      | 38982  | 45082    | 52171  |                                                                                               |        |        |
| 400    | 16340  | -      | 50069  | 56979    | 69748  |                                                                                               |        |        |
| 500    | 20658  | -      | -      | -        | -      |                                                                                               |        |        |

## INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire)  
Round/Strip Armoured PVC Outer Sheathed Instrumentation

### OVERALL SHIELDED - ARMoured INSTRUMENTATION CABLES

| Type  | No. | Size | Rate / mtr | Size | Rate / mtr | Size | Rate / mtr | Size | Rate / mtr | Size | Rate / mtr |
|-------|-----|------|------------|------|------------|------|------------|------|------------|------|------------|
| CORE  | 2   | 0.5  | 141        | 0.75 | 164        | 1    | 183        | 1.5  | 218        | 2.5  | 299        |
| CORE  | 3   | 0.5  | 168        | 0.75 | 204        | 1    | 230        | 1.5  | 285        | 2.5  | 395        |
| CORE  | 4   | 0.5  | 189        | 0.75 | 227        | 1    | 267        | 1.5  | 333        | 2.5  | 479        |
| CORE  | 5   | 0.5  | 211        | 0.75 | 263        | 1    | 310        | 1.5  | 395        | 2.5  | 574        |
| CORE  | 6   | 0.5  | 239        | 0.75 | 299        | 1    | 359        | 1.5  | 459        | 2.5  | 691        |
| CORE  | 7   | 0.5  | 259        | 0.75 | 330        | 1    | 399        | 1.5  | 519        | 2.5  | 778        |
| CORE  | 8   | 0.5  | 289        | 0.75 | 369        | 1    | 445        | 1.5  | 586        | 2.5  | 875        |
| CORE  | 10  | 0.5  | 336        | 0.75 | 439        | 1    | 539        | 1.5  | 712        | 2.5  | 1084       |
| CORE  | 12  | 0.5  | 377        | 0.75 | 499        | 1    | 610        | 1.5  | 819        | 2.5  | 1222       |
| CORE  | 14  | 0.5  | 434        | 0.75 | 558        | 1    | 699        | 1.5  | 963        | 2.5  | 1445       |
| CORE  | 16  | 0.5  | 477        | 0.75 | 629        | 1    | 783        | 1.5  | 1066       | 2.5  | 1629       |
| CORE  | 19  | 0.5  | 536        | 0.75 | 711        | 1    | 902        | 1.5  | 1219       | 2.5  | 1913       |
| CORE  | 24  | 0.5  | 648        | 0.75 | 894        | 1    | 1095       | 1.5  | 1509       | 2.5  | 2402       |
| PAIR  | 1   | 0.5  | 141        | 0.75 | 164        | 1    | 183        | 1.5  | 218        | 2.5  | 299        |
| PAIR  | 2   | 0.5  | 206        | 0.75 | 247        | 1    | 285        | 1.5  | 354        | 2.5  | 507        |
| PAIR  | 3   | 0.5  | 247        | 0.75 | 310        | 1    | 369        | 1.5  | 471        | 2.5  | 700        |
| PAIR  | 4   | 0.5  | 295        | 0.75 | 376        | 1    | 454        | 1.5  | 592        | 2.5  | 889        |
| PAIR  | 5   | 0.5  | 345        | 0.75 | 446        | 1    | 546        | 1.5  | 723        | 2.5  | 1100       |
| PAIR  | 6   | 0.5  | 398        | 0.75 | 519        | 1    | 632        | 1.5  | 843        | 2.5  | 1283       |
| PAIR  | 7   | 0.5  | 437        | 0.75 | 569        | 1    | 710        | 1.5  | 974        | 2.5  | 1463       |
| PAIR  | 8   | 0.5  | 489        | 0.75 | 650        | 1    | 802        | 1.5  | 1080       | 2.5  | 1657       |
| PAIR  | 10  | 0.5  | 586        | 0.75 | 722        | 1    | 968        | 1.5  | 1317       | 2.5  | 2021       |
| PAIR  | 12  | 0.5  | 664        | 0.75 | 902        | 1    | 1139       | 1.5  | 1542       | 2.5  | 2409       |
| PAIR  | 14  | 0.5  | 730        | 0.75 | 1012       | 1    | 1278       | 1.5  | 1782       | 2.5  | 2744       |
| PAIR  | 16  | 0.5  | 833        | 0.75 | 1114       | 1    | 1444       | 1.5  | 1990       | 2.5  | 3115       |
| PAIR  | 19  | 0.5  | 947        | 0.75 | 1318       | 1    | 1682       | 1.5  | 2327       | 2.5  | 3652       |
| PAIR  | 24  | 0.5  | 1183       | 0.75 | 1656       | 1    | 2094       | 1.5  | 2924       | 2.5  | 4590       |
| TRIAD | 1   | 0.5  | 171        | 0.75 | 206        | 1    | 232        | 1.5  | 288        | 2.5  | 398        |
| TRIAD | 2   | 0.5  | 285        | 0.75 | 353        | 1    | 391        | 1.5  | 505        | 2.5  | 730        |
| TRIAD | 3   | 0.5  | 353        | 0.75 | 444        | 1    | 507        | 1.5  | 665        | 2.5  | 984        |
| TRIAD | 4   | 0.5  | 424        | 0.75 | 545        | 1    | 634        | 1.5  | 836        | 2.5  | 1241       |
| TRIAD | 5   | 0.5  | 490        | 0.75 | 652        | 1    | 759        | 1.5  | 1024       | 2.5  | 1524       |
| TRIAD | 6   | 0.5  | 566        | 0.75 | 754        | 1    | 890        | 1.5  | 1182       | 2.5  | 1790       |
| TRIAD | 7   | 0.5  | 626        | 0.75 | 863        | 1    | 993        | 1.5  | 1332       | 2.5  | 2040       |
| TRIAD | 8   | 0.5  | 705        | 0.75 | 918        | 1    | 1112       | 1.5  | 1510       | 2.5  | 2327       |

POLYCAB BRAND JELLY FILED TELEPHONE CABLES, SOLID ANNEALED COPPER, POLYTHENE INSULATED, PETROLEUM JELLY  
FILLED WITH POLY-AL LAMINATE MOISTURE BARRIER, POLYTHENE SHEATHED, ARMoured POLYTHENE  
JACKETED TELEPHONE CABLES AS PER DOT/POLYCAB SPECIFICATION

| SIZE | 5 PAIR | 10 PAIR | 20 PAIR | 50 PAIR | 100 PAIR | 200 PAIR |
|------|--------|---------|---------|---------|----------|----------|
| 0.5  | 179    | 286     | 417     | 898     | 1906     | 3500     |

# URJETA ELECTRICALS

## POLYCAB

IDEAS. CONNECTED.

**L.P. : 24.02.2025**

### PRICE LIST

### H T XLPE CABLES

**w.e.f. : 26.02.2025**

Stranded, Compact Circular Aluminium Conductor, Conductor Screened, with Extruded Semi-conducting compound XLPE Insulated, Insulation Screened with Extruded Semi-Conducting Compound in combination with Copper Tape (0.3 KA for on sec.), Cores Laid up, inner Sheath of PVC Tape, Galvanised Steel Flat Strip Armoured, and overall PVC Sheathed cable Conforming to IS:7098/II/85 with latest amendments.

(RATE PER METER)

| A2XFY<br>Core x Sq.mm. | 3.3 KV (UE)/<br>6.6 KV (E) | 6.6 KV (UE)/<br>11 KV (E) |      | 22 KV (E) |       | 33 KV (E) |       |
|------------------------|----------------------------|---------------------------|------|-----------|-------|-----------|-------|
|                        | FLAT                       | FLAT                      | RWA  | FLAT      | RWA   | FLAT      | RWA   |
| 3 x 25                 | -                          | -                         | -    | -         | -     | -         | -     |
| 3 x 35                 | -                          | 1587                      | 1984 | -         | -     | -         | -     |
| 3 x 50                 | -                          | 1896                      | 2370 | -         | -     | -         | -     |
| 3 x 70                 | 2133                       | 2311                      | 2889 | -         | -     | -         | -     |
| 3 x 95                 | 2407                       | 2621                      | 3276 | 3615      | 4519  | 4789      | 5986  |
| 3 x 120                | 2914                       | 3164                      | 3955 | 4062      | 5077  | 5400      | 6750  |
| 3 x 150                | 3421                       | 3707                      | 4634 | 4659      | 5824  | 5804      | 7255  |
| 3 x 185                | 3924                       | 4226                      | 5282 | 5259      | 6574  | 6480      | 8100  |
| 3 x 240                | 4784                       | 5121                      | 6401 | 6208      | 7760  | 7653      | 9566  |
| 3 x 300                | 5718                       | 6057                      | 7571 | 7279      | 9099  | 8639      | 10798 |
| 3 x 400                | 7252                       | 7579                      | 9474 | 8827      | 11034 | 10472     | 13090 |

### Extra for special construction

- |                                                |                                   |
|------------------------------------------------|-----------------------------------|
| a. Extruded PVC Inner Sheath..... 3 %          | d. FRLS Outer Sheath..... 5%      |
| b. Pressure extruded PVC innersheath..... 13 % | e. FRLS Inner Sheath..... 5%      |
| c. Round Wire Armouring                        | e. Oxygen Index (26 - 30)..... 3% |
| i) Upto 11 KV (E)..... 25%                     |                                   |
| ii) 11 KV (UE) & above..... 27.5%              |                                   |

**GST 18% Extra.**

Stranded, Compact Circular Aluminium Conductor, Conductor Screened, with Extruded Semi-Conducting Compound, XLPE insulated, insulation, screened, with Extruded Semi-Conducting Compound in combination with Copper Tape (0.3 KA for on sec.), Aluminium Flat Armoured/Round Wire Armoured and overall PVC Sheathed cable Conforming to IS:7098/II/85 with latest amendments.

(RATE PER METER)

HSN : 85446090

| A2XFY    | 3.3KV (UE)/<br>6.6 KV E |      | 6.6 KV (UE)/<br>11 KV (E) |      | 11 KV<br>(UE) |      | 22 KV<br>(E) |      | 33 KV<br>(E) |      | 33 KV (UE) |      |
|----------|-------------------------|------|---------------------------|------|---------------|------|--------------|------|--------------|------|------------|------|
| Size     | FLAT                    | RWA  | FLAT                      | RWA  | FLAT          | RWA  | FLAT         | RWA  | FLAT         | RWA  | FLAT       | RWA  |
| 1 x 240  | 1754                    | 1839 | 1927                      | 2023 | 2182          | 2296 | 2233         | 2351 | 2872         | 3027 | 3288       | 3465 |
| 1 x 300  | 2009                    | 2120 | 2209                      | 2333 | 2485          | 2617 | 2542         | 2678 | 3395         | 3577 | 3654       | 3850 |
| 1 x 400  | 2442                    | 2573 | 2649                      | 2789 | 2951          | 3103 | 3016         | 3172 | 3896         | 4092 | 4122       | 4337 |
| 1 x 500  | 3116                    | 3283 | 3230                      | 3395 | 3707          | 3899 | 3707         | 3899 | 4590         | 4834 | 4784       | 5041 |
| 1 x 630  | 3764                    | 3966 | 3866                      | 4069 | 4380          | 4604 | 4380         | 4604 | 5338         | 5616 | 5558       | 5846 |
| 1 x 800  | 4679                    | 4920 | 4744                      | 5130 | 5247          | 5523 | 5247         | 5523 | 6317         | 6647 | 6592       | 6931 |
| 1 x 1000 | 5535                    | 5826 | 6078                      | 6403 | 6503          | 6839 | 6503         | 6839 | 7729         | 8103 | 8308       | 8743 |